




VALENTI

STAINLESS STEEL HOB

P R O D U C T C A T A L O G U E



WWW.PRIME-HOME.COM.SG




VC630SB (TG/LPG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- Battery Ignition
- Double Jet system
- Top Air Intake System
- 1 x Triple Ring Burner (4.5kw)
- 1 x Auxiliary Big Burner
- 1 x Auxiliary Small Burner

Stainless Steel Top Overall Dimension:
W:590 X D:510 X H:43 (mm)

Fixed Cut-Out Base Size:
W:560 X D:480 (mm)




VC630SE (TG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- Electric Auto Ignition
- Double Jet system
- Top Air Intake System
- 1 x Triple Ring Burner (4.5kw)
- 1 x Auxiliary Big Burner
- 1 x Auxiliary Small Burner

Stainless Steel Top Overall Dimension:
W:590 X D:510 X H:43 (mm)

Fixed Cut-Out Base Size:
W:560 X D:480 (mm)


VC728S (TG/LPG)




- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Coated Trivets
- 2 x Brass Burners
- Double-jet System
- Milk Stand
- Battery Ignition
- Bottom Air Intake System
- 2 x Double Ring Brass Burners (TG: 4.8kw)
- 2 x Triple Ring Brass Burners (LPG: 4.8kw)

Stainless Steel Top Overall Dimension:
W:730 X D:420 X H:66 (mm)

Flexi Cut-Out Base Size:
W:630 -665 X D:350 -365 (mm), 4 x R-80






VC820S (TG/LPG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- Double Jet system
- 2 x Double Ring Brass Burner (4.5kw)
- Battery Ignition
- Bottom Air Intake System

Stainless Steel Top Overall Dimension:
W:760 X D:450 X H:62 (mm)

Flexi Cut-Out Base Size:
W:670-710 X D:370-405 (mm), 4 x R-80



VC830S (TG/LPG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- 2 x Double Ring Brass Burner (4.5kw)
- 1 x Semi Rapid Brass Burner
- Double-jet System
- Battery Ignition
- Bottom Air Intake System


Stainless Steel Top Overall Dimension:
W:760 X D:450 X H:62 (mm)

Flexi Cut-Out Base Size:
W:670-710 X D:370-405 (mm), 4 x R-80



VC920S (TG/LPG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- 2 x Double Ring Brass Burner (4.5kw)
- Double jet System
- Battery Ignition
- Bottom Air Intake System




Stainless Steel Top Overall Dimension:
W:860 X D:500 X H:62 (mm)

Flexi Cut-Out Base Size:
W:670-810 X D:370-425 (mm), 4 x R-80



VC930S (TG/LPG)

- #304 Stainless Steel Top
- Flame Failure Device (Safety-valve)
- Cast Iron Trivets
- Milk Stand
- 2 x Double Ring Brass Burner (4.5kw)
- 1 x Semi Rapid Brass Burner
- Double-jet System
- Battery Ignition
- Bottom Air Intake System



Stainless Steel Top Overall Dimension:
W:860 X D:500 X H:62 (mm)

Flexi Cut-Out Base Size:
W:670-810 X D:370-425 (mm), 4 x R-80